PCT/GB2003/004537

#### 1/8

#### FIGURE 1A

Human GMCSF cDNA. Genbank Accession No. NM\_000758

1 getggaggat gtggetgeag ageetgetge tettgggeae tgtggeetge ageatetetg
61 caccegeceg etegeceage eccageaege ageeetggga geatgtgaat gecatecagg
121 aggeeeggeg teteetgaae etgagtagag acaetgetge tgagatgaat gaaacagtag
181 aagteatete agaaatgttt gacetecagg ageegaeetg eetacagaee egeetggage
241 tgtacaagea gggeetgegg ggeageetea eccaageteaa gggeeeettg aceatgatgg
301 ecageeaeta eaageageae tgeeeteeaa ecceggaaae tteetgtgea aceatgatgg
301 teacetttga aagttteaaa gagaaeetga aggaetttet gettgteate ecetttgaet
421 getgggagee agteeaggag tgagaeegge eagatgagge tggeeaagee ggggagetge
481 teteteatga aacaagaget agaaaeteag gatggteate ttggagggae eaaggggtgg
541 geeacageea tggtgggat ggeetggaee tggeetggge eacaetgaee etgataeagg
601 catggeagaa gaatgggaat atttataet gacagaaate agtaatatt atatattat
661 attttaaaa tatttatta ttaaaaatat gettet

#### FIGURE 1B

Human GMCSF polypeptide. Genbank Accession No. NM\_000758


- 1 MWLQSLLLLG TVACSISAPA RSPSPSTQPW EHVNAIQEAR RLLNLSRDTA AEMNETVEVI
- 61 SEMFDLQEPT CLQTRLELYK QGLRGSLTKL KGPLTMMASH YKQHCPPTPE TSCATQTITF
- 121 ESFKENLKDF LLVIPFDCWE PVQE

4

PCT/GB2003/004537

2/8


# FIGURE 2



3/8

# FIGURE 3


# Message 48 hours after treatment



4/8

## FIGURE 4


# IL-10 release after 4hour treatment and 20 hours culture



PCT/GB2003/004537

5/8

## FIGURE 5



Agents controlling intracellular cAMP. Open arrows are effectively lowering intracellular cAMP levels. Solid arrow is stimulation. Combinations will be synergistic.

PCT/GB2003/004537

6/8






FIGURE 6



PCT/GB2003/004537

7/8

# FIGURE 8



PCT/GB2003/004537

8/8

# FIGURE 9

